

SECTION 1: Identification**1.1. Product identifier**

Trade name	: LIQUITEX BASICS ACRYLIC COLOURS CAN
Product group	: Trade product
Other means of identification	: DIOXAZINE PURPLE, CADMIUM YELLOW DEEP HUE, PURPLE GREY, MARS BLACK, ALIZARIN CRIMSON HUE PERMANENT, BURNT SIENNA, PYRROLE RED, CADMIUM YELLOW LIGHT HUE, NAPLES YELLOW HUE, MAGENTA QUINACRIDONE, VIOLET DEEP, BURNT UMBER, CADMIUM RED MEDIUM HUE, CADMIUM YELLOW MEDIUM HUE, SILVER, CADMIUM RED DEEP HUE, PHTHALOCYANINE GREEN, PHTHALOCYANINE BLUE, RAW SIENNA, RED OXIDE, ULTRAMARINE BLUE, YELLOW OXIDE, CADMIUM RED LIGHT HUE, CADMIUM ORANGE HUE, IVORY BLACK, PRIMARY YELLOW, PRIMARY RED, PRIMARY BLUE, NAPHTOL CRIMSON, HOOKERS GRN PERMANENT H, RAW UMBER, BRONZE YELLOW, VIOLET PRISM, COPPER, GREEN LIGHT PERMANENT, BRONZE, TRANSPARENT RED, TRANSPARENT YELLOW, GREEN DEEP PERMANENT, PRUSSIAN BLUE HUE, PAYNES GREY, FLUORESCENT BLUE, FLUORESCENT ORANGE, FLUORESCENT PINK, FLUORESCENT RED, FLUORESCENT YELLOW, IRIDESCENT WHITE, IRIDESCENT GRAPHITE, VIVID RED ORANGE, FLUORESCENT GREEN, LIGHT OLIVE GREEN, LIME GREEN, COBALT BLUE HUE, GOLD, TITANIUM WHITE, CERULEAN BLUE HUE, GREY NEUTRAL VALUE 5, AQUA GREEN BRIGHT, LIGHT PINK, MAGENTA MEDIUM, BLUE LIGHT PERMANENT, BLUE VIOLET LIGHT, PURPLE BRILLIANT, UNBLEACHED TITANIUM, YELLOW GREEN BRILLIANT, PARCHMENT, TRANSPARENT MIXING WHITE, BRILLIANT BLUE, TURQUOISE BLUE, ROSE PINK, BLUE GREY, GREEN GREY

1.2. Recommended use and restrictions on use

Recommended use	: Artists', craft and hobby paints
-----------------	------------------------------------

1.3. Supplier

Distributor	Manufacturer
ColArt Americas Inc. 2 Corporate Place South, Piscataway New Jersey, USA NJ 08854 T +1 888 422 7954 r.enquiries@colart.co.uk	Colart France +33 2 43 83 83 00 Zone Industrielle Nord 5 Rue René Panhard Le Mans France r.enquiries@colart.co.uk

1.4. Emergency telephone number

Emergency number	: +1 888 422 7954
------------------	-------------------

SECTION 2: Hazard identification**2.1. Classification of the substance or mixture**

Labelling statements in this section are not applicable to consumer products, please see section 15.

Classification (GHS CA)

Not classified

2.2. GHS Label elements, including precautionary statements**GHS CA labeling**

No labeling applicable

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of schedule 1, item 3 of the Hazardous Products Regulations.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Avoid contact with skin.

Eye protection:

Avoid contact with eyes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Paste.
Color : Various
Odor : characteristic
Odor threshold : No data available
pH : 9 – 10
Relative evaporation rate (butyl acetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : > 100 °C
Flash point : No data available

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.2 – 1.5
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

MPG (propane-1,2-diol) (57-55-6)

LD50 oral rat	22000 mg/kg body weight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other., Remarks on results: other:

Calcium carbonate (471-34-1)

LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

Skin corrosion/irritation	: Not classified pH: 9 – 10
Serious eye damage/irritation	: Not classified pH: 9 – 10
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

MPG (propane-1,2-diol) (57-55-6)

NOAEL (subchronic,oral,animal/male,90 days)	443 mg/kg body weight Animal: cat, Animal sex: male
---	---

Calcium carbonate (471-34-1)

NOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

MPG (propane-1,2-diol) (57-55-6)

LC50 - Fish [1]	51400 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	19100 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [2]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Calcium carbonate (471-34-1)

EC50 72h - Algae [1]	> 14 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
----------------------	--

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified
-------	------------------

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

TDG
Transport hazard class(es) (TDG) : Not applicable

DOT
Transport hazard class(es) (DOT) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (TDG) : Not applicable
Packing group (DOT) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG
No data available

DOT
No data available

IMDG
No data available

IATA
No data available

LIQUITEX BASICS ACRYLIC COLOURS CAN

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Consumer Chemicals and Containers Regulations, 2001 (SOR/2001-269)

Not classified according to the criteria of Consumer Chemicals and Containers Regulations, 2001 (SOR/2001-269).

15.2. International regulations

No additional information available

SECTION 16: Other information

Issue date : 11-08-2021
Revision date : 11-08-2021

SDS COLART CANADA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.