

Safety data sheet according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: PICTURE VARNISH MATT 003 · Article number: 24285003, 24305003, 24325003 · UFI: X410-C05Q-800J-92JN · 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified use: Picture varnish · 1.3 Manufacturer/Supplier: Manufacturer: Roval Talens P.O. Box 4NL-7300 AA Apeldoorn Tel. +31 (0)55 5274700 UK Distributor: R. Talens UK Ltd P.O. Box 3717 Wokingham RG40 9RS, UK Tel +44 (0)800 995 6500 • Further information obtainable from: Regulatory Affairs safety@royaltalens.com · 1.4 Emergency telephone number: Great Britain: National Poisons Information Service (Birmingham) tel. (44) (0) 1215074123 Ireland: National Poisons Information Centre (Dublin) tel. 35 3 18379966 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame H226 Flammable liquid and vapour. Flam. Liq. 3 health hazard H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. (Contd. on page 2) GB

Page 1/8

Safety data sheet according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

(Contd. of page 1)

|--|

•	
Acute Tox. 4	H312 Harmful in contact with skin.
Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Turpentine, oil

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hydrocarbons, C9, aromatics

· Hazard statements

H226 Flammable liquid and vapour.

- H312+H332 Harmful in contact with skin or if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H304 May be fatal if swallowed and enters airways.
- *H411 Toxic to aquatic life with long lasting effects.*

· Precautionary statements

- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P271 Use only outdoors or in a well-ventilated area.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- *P331* Do NOT induce vomiting.
- *P501 Dispose of contents/container to hazardous waste collection point.*
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components	:
------------------------	---

2 mger ous components		
CAS: 8006-64-2	Turpentine, oil	50-70%
EINECS: 232-350-7	 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 	
EC/List number: 919-857-5 Reg.nr.: 01-2119463258-33	<i>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics</i>	10-20%
	� Flam. Liq. 3, H226; � Asp. Tox. 1, H304; � STOT SE 3, H336, EUH066	
	(Conto	l. on page 3)

Safety data sheet

according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

	(Conta	d. of page 2)
	Hydrocarbons, C9, aromatics	1-2.5%
EC/List number: 918-668-5	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ↑ STOT SE 3, H335-H336, EUH066	
Reg.nr.: 01-2119455851-35	H̃411; 🚯 STOT SE 3, H335-Ĥ336, EUH066 🕺 🕺	
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- Headache
- Nausea

Irritating to respiratory system and skin.

May be fatal if swallowed and enters airways.

+ 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.

6 2 Environmental presentions: Do

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- · Storage class: -
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

8006-64-2 Turpentine, oil (50-70%)

WEL Short-term value: 850 mg/m³, 150 ppm Long-term value: 566 mg/m³, 100 ppm

· DNELs		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	DNEL, long term (chronic) - systemic effects	125 mg/kg bw/day (Consumer)
Dermal	DNEL,long term (chronic) - systemic effects	125 mg/kg bw/day (Consumer)
		208 mg/kg bw/day (Employee)
Inhalative	DNEL,long term (chronic) - systemic effects	185 mg/m3 (Consumer)
		871 mg/m3 (Employee)
64742-95-	6 Hydrocarbons, C9, aromatics	
Oral	DNEL, long term (chronic) - systemic effects	11 mg/kg bw/day (Consumer)
Dermal	DNEL,long term (chronic) - systemic effects	11 mg/kg bw/day (Consumer)
		25 mg/kg bw/day (Employee)
Inhalative	DNEL,long term (chronic) - systemic effects	32 mg/m3 (Consumer)
		150 mg/m3 (Employee)

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:
- Not necessary if room is well-ventilated.
- Only during spraying without adequate removal by suction.
- Hand protection



If prolonged or repeated contact is likely, chemical resistant gloves are recommended.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses if risk of splashes.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC

Printing date 17.11.2022

*

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

(Contd. of page 4)

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	154-170 °C
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.7 Vol %
Upper:	6 Vol %
Flash point:	24-36 °C
Auto-ignition temperature:	270 °C
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	manue is non somore (in water).
Viscosity: Kinematic viscosity at 40 °C	$<20.5 \text{ mm}^{2/s}$
Dynamic:	Not determined.
Solubility	Not missible on difficult to min
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	5.4 hPa
Density and/or relative density	
Density at 20 °C:	$0.87 g/cm^3$
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Explosive properties:	Product is not explosive. However, formation of
Channes in an litit of	explosive air/vapour mixtures are possible.
Change in condition	
Softening point/range	No food an advant information (1)
Oxidising properties	No further relevant information available.
Evaporation rate	Not determined.
Information with regard to physical hazard classe	S
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
	Void Void
Self-heating substances and mixtures	roiu
Substances and mixtures, which emit flammable	Void
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

GB

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under recommended storage and handling conditions (see section 7). • 10.3 Possibility of hazardous reactions
- Dangerous reactions are not expected if the product is handled according to its intended use.
- 10.4 Conditions to avoid Keep away from sources of ignition No smoking.

• 10.5 Incompatible materials: Strong oxidising agents.

• 10.6 Hazardous decomposition products: No decomposition if used according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

8006-64-2	Turpentin	e, 011
Oral	LD50	>5,000 mg/kg (rat)

Inhalative LC50/4 h 13.7 mg/l (rat)

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

Inhalative LC50/4 h > 5,000 mg/l (rat)

64742-95-6 Hydrocarbons, C9, aromatics

Oral LD50 2,000-5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

• Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Causes serious eye irritation.

• **Respiratory or skin sensitisation** May cause an allergic skin reaction.

• Aspiration hazard May be fatal if swallowed and enters airways.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

64742-95-6 Hydrocarbons, C9, aromatics

EC50, acute 1-10 mg/l (algae)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · *PBT:* Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

Revision: 17.11.2022

(Contd. of page 6)

Toxic for aquatic organisms

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

 \cdot **Recommendation** Disposal must be made according to official regulations.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR	1263 PAINT RELATED MATERIAL ENVIRONMENTALLY HAZARDOUS
IMDG, IATA	PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
ADR	
Class	3 Flammable liquids.
Label	3
IMDG, IATA	
Class	2 Flammahla liquida
Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	None. III
14.5 Environmental hazards:	Product contains environmentally hazardous substance Turpentine, oil
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	30 F-E,S-E
EMS Number: Stowage Category	Г- <u>Е, 5-Е</u> А
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E

Safety data sheet according to 1907/2006/EC

Printing date 17.11.2022

Version: 1.3 (replaces version 1.2)

5L

Revision: 17.11.2022

(Contd. of page 7)

· IMDG

- \cdot Limited quantities (LQ)
- Excepted quantities (EQ)

Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1263 PAINT RELATED MATERIAL, 3, 111, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category
- E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- *LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent*
- *PBT: Persistent, Bioaccumulative and Toxic*
- *vPvB: very Persistent and very Bioaccumulative*
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- Asp. Tox. 1: Aspiration hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

• * Data compared to the previous version altered.